



## Sunsail 53.5

5 Cabins / 4 Heads

### Specifications and Equipment List (Sunsail charter upgrades in bold)

Length Overall:	53ft 7in   16.35m
Waterline Length:	47ft 4in   14.43m
Beam:	16ft 4in   4.99m
Draft:	6ft 4in   1.95m
Fuel Capacity:	116 US Gal   440 L
Water Capacity:	195 US Gal   740 L
Engine:	<b>Yanmar 80HP</b>



### CONSTRUCTION

- Hull: Hand-laminated in polyester/glassfibre; sides made from vacuum-bonded foam core sandwich.
- Gelcoat: NPG gelcoat with first mat impregnated with NPG resin forming an optimum barrier against osmosis
- Structure: Hull bottom counter-moulded, bonded, keel stiffeners laminated into the hull
- Deck: Sandwich with injected PVC foam core
- Ballast: Keel bolts reinforced by stainless steel backing plates
- Rudder: Semi-elliptical shape, filled with closed-cell epoxy foam
- Rudder stock: Solid stainless steel
- Non-slip deck surface: Non-slip structured deck surface
- **Decoration: Sunsail graphics**
- **Shallow cast iron keel**

### DECK

- **Stainless steel roof handrails**
- Folding toe rails
- Anchor locker: Self-draining with built-in windlass support and anchor chain eyebolt
- Anchor roller
- Bow pulpits: Stainless, opening for easy access and for spinnaker handling
- Stern pulpits: Jackstaff bracket, and opening life-lines with hook
- Stanchions: With 2 rows of life-lines
- Solid wooden toe-rail
- **Fixed bowsprit**
- **Stainless steel bow protection**
- **Lifeline gates**

### DECK FITTINGS

- Safety chainplates: Safety harness chainplates in cockpit floor and bulkwark
- 2 backstay chainplates
- **Stainless steel cleats**
- Rubbing strips: 6 stainless, on hull sheer line
- Fuel deck fillers: 2
- Water deck fillers: 3
- Mainsheet tracks
- **Mainsail rail on the roof**

- **Adjustable genoa tracks**
- **Rigid boom vang**
- **1 electric halyard winch and 1 standard reefing line winch**
- **2 electric sheet winches**
- Jam cleats
- Downhaul
- Deck organisers: 2 deck organisers for halyard, sheet, and reef line returns
- Furler line jamcleats: 1 at aft end of sidedeck
- **Stainless steel anchor and galvanized chain**
- **Stainless steel exhaust**
- **GRP cover**

## COCKPIT

- Lockers: 2 large side lockers on starboard and portside
- Cockpit bench seats: Teak covered
- Lockers: 1 large side locker to Stbd with strut-assisted closing and fixing for padlock, 2 lockers for the lines in the cockpit
- **Stainless steel steering wheel**
- Helm pedestal
- Engine controls
- Compass
- Instrumentation: PODs on helm positions
- Gas locker: Port aft section
- Liferaft locker: Under floor, starboard helm position
- Tender locker: Under port section
- Handrail: Stainless, on cockpit table
- Shower: In aft section
- Shore supply: Port helm position
- Bathing ladder: Foldaway stainless bathing ladder
- Emergency tiller: A stainless tiller with deck plate for access
- **Cockpit table**
- **Fridge into cockpit table**
- **Bimini and dodger**
- **Cockpit shower (cold/hot)**
- **Transom protection**
- **2 inflatable helm seat backrests**
- **Cockpit cushions (seat and backrest)**
- **Sunbed cushions**
- **Natural wood on cockpit seats**
- **Plancha and sink**
- **Cockpit portlight in aft starboard cabin**
- **Cockpit portlight in aft port side cabin**
- **Davit system**
- **Electric swim platform**

## RIGGING & SAILS

- **Sunsail enhanced mast: anodized aluminium with 2 levels of swept spreaders**
- Rigging: 9/10 fractional
- Mast stepping: On deck
- Lights: Anchor and steaming lights
- Topping lift: Boom topping lift cleats
- Boom: Anodized aluminium fitted with 2 continuous reefers
- Standing rigging: Continuous in stainless single-strand cable, chrome-plated bronze rigging screws, comprising: forestay, backstay bridle with twin rigging screws, inter and lower shrouds
- **Fixed backstay**
- Running rigging in pre-stretched textile including: main and genoa halyards, boom topping lift, 2 continuous reef lines, leech tension

- 2 mainsheet car adjustments, furling line, downhaul tackle
- **Custom heavy duty battened charter mainsail**
- **Charter upgrade, heavy duty furling genoa with UV protection strips**
- **Stackpack LazyJack system in Sunsail blue with logo**
- **Profurl genoa furler**

## INTERIOR

- **Woodwork: Real wood veneer**
- Floors: Moabi laminate
- Doors: cabin doors can be secured in the open position
- Mattresses: Mattresses are in hypoallergenic fabric
- Head-liner: Grey lined
- **Signature ambiance**
- **Grey faux-leather upholstery**

## GLAZING & LIGHTING

- Hull: 6 hull ports
- Coachroof: 6 fixed ports & 4 opening ports with curtains
- Hatches: 10 deck hatches
- Indirect lighting: Under ceiling and cubby-hole
- Lighting: Numerous spots, garlands and reading lights
- Courtesy light: Low-level lighting around saloon furniture
- **Blinds with mosquito net on deck hatches**
- **LED interior lights**

## COMPANIONWAY

- Steps: Curved wooden steps
- Engine cover: Hinged wooden engine cover with gas struts
- Handrails: 2, stainless with leather
- Wine cellar: Wine cellar beneath floor in companionway
- **Custom companionway door**

## FORWARD CABINS

- 1 double bed
- Mattress: 10 cm thick foam mattress with washable cover
- Stowage:
  - Below berth
  - Cubby-hole along side of hull
  - Hanging locker with shelves
  - Tidy pocket
- Access to navigation instrument transducers
- **Mattress cover**

## FORWARD HEADS

- Basin with single-lever mixer tap
- Wash-basin: Corian® synthetic resin
- Water: Hot and cold water, chrome-plated brass single-lever mixer tap and shower head
- Large mirror
- Grating: HPL teak
- Ventilation: Via deck panel
- Cupboards: Storage unit
- **1 Electric toilet**
- **Automatic shower pump**

## AFT HEADS

- Wash-basin: Corian® synthetic resin
- Water: Hot and cold water, chrome-plated brass single-lever mixer tap and shower head
- Large mirror
- **1 Electric toilet**
- **Automatic shower pump**

## SALOON

- Saloon banquette: U-shaped banquette on port side
- Central banquette: Sliding banquette
- Table: 3-function saloon table
- Storage:
  - Stowage under seats and behind backrests
  - Galley return on starboard side
  - 3 cubby-holes with doors and bookshelf to port and 3 to starboard
  - Hatches to under-floor stowage
- Mast foot: Stainless
- **Saloon table convertible into berth**

## GALLEY

- Configuration: Forward galley
- Worktop: synthetic resin
- Sink: Stainless steel bowl sink in port module
- Water: Hot and cold pumped water with brushed stainless single-lever mixer tap
- Gas cooker: 3-burner gas cooker with oven and grill, on gimbals, in port module
- Crockery storage: Dowels to retain crockery when heeling
- Refrigerators: 12 V refrigerator with stainless steel drawers
- Storage: 5 cubby-holes to port and 3 cubby-holes to starboard, under floor
- Pump: Sea-water pump built-in under floor to starboard
- Waste bin: Compartmented
- **Microwave oven**
- **Extra refrigerator in galley**

## CHART TABLE

- Seat: One seat with cushions
- 1 ceiling light, 1 reading light, 1 power socket / 12V USB
- Pivoting console: holding the instruments and electrical distribution panel

## PULLMAN CABIN

- Bunk beds
- Cupboard
- **Mattress cover**

## STARBOARD AFT CABIN

- 1 double bed
- Mattress: 10 cm thick foam mattress with washable cover
- Fuel tank: Under berths
- Stowage: Hanging locker with shelves Cubby-holes along side of hull
- Soundproofing: Double bulkhead provides acoustic and thermal insulation from adjoining engine compartment
- Technical area: Between aft cabins
- **Mattress cover**

## PORT AFT CABIN

- Twin beds
- Mattress: 10 cm thick foam mattress with washable cover

## Exhibit A

- Fuel tank: Under berths
- Stowage: Hanging locker with shelves Cubby-holes along side of hull
- Soundproofing: Double bulkhead provides acoustic and thermal insulation from adjoining engine compartment
- Technical area: Between aft cabins
- **Mattress cover**

## ENGINE

- **Engine: Yanmar 80HP**
- Transmission: Sail-drive transmission
- Cooling system: Heat exchanger, anti-siphon valve
- Sea-water strainer: Sea-water strainer
- Fuel tank: Gauge on electrical distribution panel
- Fuel filter
- Shut-off valve: Emergency fuel shut-off valve
- Control panel: Engine control panel with hours meter, engine stop, and tachometer
- Alternator: Alternator with battery isolator
- Ventilation: Ventilation with 2 natural inlets and electric mechanical extract
- Bilge: Separate engine bilge
- Access to the engine from front and both sides
- Propeller: 3-blade, fixed
- Insulation: Carefully-designed foam acoustic and thermal insulation
- **Bow Thruster**
- **Rope cutter on Sail Drive**

## PLUMBING

- Water tanks: 2 polyethylene water tanks with inspection holes and electric gauges
- Electric bilge pump: With strainer, controlled from electrical distribution panel
- Manual bilge pump: Operated from cockpit
- **Hot water tank: Pressurized water pump unit and water-heater via heat-exchanger**
- Hot water tank: Pressurized water pump unit
- **Water purifier**
- **Watermaker**

## ELECTRICITY

- Circuit: 12 V
- Distribution panel: 12 buttons , 1 display, 2 USB sockets
- Isolator: 1 per set of batteries in the starboard companionway block
- **Inverter**
- **Shore power pack**
- **Outlets in cabins and saloon**
- **Increased battery capacity and AGM batteries in lieu of standard**
- **Battery charger**
- **LED navigation lights**
- **Electric windlass 1600W**
- **Full B&G electronic package**
- **Solar panels**
- **Stereo system with interior and exterior speakers**
- **Generator**
- **Air conditioning**
- **TV**
- **AIS transmitter/receiver**
- **Underwater lights**

## GENERAL EQUIPMENT

- **Mooring / dock lines / fenders**

Exhibit A

- **Safety pack**
- **Charter pack**
- **Commissioning and delivery to charter base**
- **Custom antifouling**

**NOTE**

The Builder reserves the right to change or amend the contents of this document at any time without prior notification to any third party, and no liability will be accepted for errors contained within the same.